

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
327.23	Obstructive sleep apnea	G47.33	Obstructive sleep apnea (adult) (pediatric)
		Notes	
		Code also any associated underlying condition	
496	Chronic airway obstruction, not elsewhere classified	J44.9	Chronic obstructive pulmonary disease, unspecified
		Notes	
		Code also type of asthma, if applicable (J45.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
786.09	Respiratory abnormality, other	R06.00 R06.09 R06.3 R06.83 R06.89	Dyspnea, unspecified Other forms of dyspnea Periodic breathing Snoring Other abnormalities of breathing
799.02	Hypoxemia	R09.02	Hypoxemia
477.9	Allergic rhinitis, unspecified	J30.0	Vasomotor rhinitis J30.9 Allergic rhinitis, unspecified
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
780.52	Insomnia, unspecified	G47.00	Insomnia, unspecified

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
493.90	Asthma, unspecified, unspecified	J45.909 J45.998	Unspecified asthma, uncomplicated Other asthma
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
486	Pneumonia, organism unspecified	J18.9	Pneumonia, unspecified organism
		Additional Choices	
		J18.8 Other pneumonia, unspecified organism	
		Notes	
		<p>Code first associated influenza, if applicable (J09.X1, J10.0-, -J11.0-)</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
786.2	Cough	R05	Cough
518.81	Acute respiratory failure	J96.00 J96.90	Acute respiratory failure, unspecified whether with hypoxia or hypercapnia Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia
		Additional Choices	
		J96.01 Acute respiratory failure with hypoxia J96.02 Acute respiratory failure with hypercapnia J96.91 Respiratory failure, unspecified with hypoxia J96.92 Respiratory failure, unspecified with hypercapnia	
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
518.82	Other pulmonary insufficiency, not elsewhere classified	J98.4 J80	Other disorders of the lung Acute respiratory distress syndrome
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
518.89	Other diseases of lung, not elsewhere classified	J98.4	Other disorders of lung
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
493.00	Extrinsic asthma, unspecified	J45.20	Mild intermittent asthma, uncomplicated
		Additional Choices	
		<p>J45.30 Mild persistent asthma, uncomplicated J45.40 Moderate persistent asthma, uncomplicated J45.40 Severe persistent asthma, uncomplicated</p>	
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
511.9	Unspecified pleural effusion	J918	Pleural effusion in other conditions classified elsewhere
		<p>Notes</p> <p>Code first underlying disease, such as: filariasis (B74.0-B74.9) influenza (J09.X2, J10.1, J11.1)</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
305.1	Tobacco use disorder	F17.200	Nicotine dependence, unspecified, uncomplicated
		<p>Additional Choices</p> <p>F17.201 Nicotine dependence, unspecified, in remission F17.210 Nicotine dependence, unspecified, in remission F17.211 Nicotine dependence, cigarettes, in remission F17.220 Nicotine dependence, chewing tobacco, uncomplicated F17.221 Nicotine dependence, chewing tobacco, in remission F17.290 Nicotine dependence, other tobacco product, uncomplicated F17.291 Nicotine dependence, other tobacco product, in remission</p>	
780.54	Hypersomnia, unspecified	G47.10	Hypersomnia, unspecified
491.21	Obstructive chronic bronchitis with acute exacerbation	J44.1	Chronic obstructive pulmonary disease with (acute) exacerbation
		<p>Notes</p> <p>Code also type of asthma, if applicable (J45.-)</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
428.0	Congestive heart failure, unspecified	I50.9	Heart failure, unspecified
		Additional Choices	
		I50.20 Unspecified systolic (congestive) heart failure I50.21 Acute systolic (congestive) heart failure I50.22 Chronic systolic (congestive) heart failure I50.23 Acute on chronic systolic (congestive) heart failure I50.30 Unspecified diastolic (congestive) heart failure I50.31 Acute diastolic (congestive) heart failure I50.32 Chronic diastolic (congestive) heart failure I50.33 Acute on chronic diastolic (congestive) heart failure I50.40 Unspecified combined systolic (congestive) and diastolic (congestive) heart failure I50.41 Acute combined systolic (congestive) and diastolic (congestive) heart failure I50.42 Chronic combined systolic (congestive) and diastolic (congestive) heart failure I50.43 Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure	
		Notes	
		<p>Code first:</p> heart failure complicating abortion or ectopic or molar pregnancy (O00-O07, O08.8) heart failure following surgery (I97.13-) heart failure due to hypertension (I11.0) heart failure due to hypertension with chronic kidney disease (I13.-) obstetric surgery and procedures (O75.4) rheumatic heart failure (I09.81)	
162.9	Malignant neoplasm of bronchus and lung, unspecified site	C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
		Additional Choices	
		C34.91 Malignant neoplasm of unspecified part of right bronchus or lung C34.92 Malignant neoplasm of unspecified part of left bronchus or lung	
		Notes	
		<p>Use additional code to identify:</p> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
466.0	Acute bronchitis	J20.9	Acute bronchitis, unspecified
		Additional Choices	
		J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to Hemophilus influenza J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to rhinovirus J20.7 Acute bronchitis due to echovirus J20.8 Acute bronchitis due to other specified organisms	
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
278.00	Obesity, unspecified	E66.9	Obesity, unspecified
		Additional Choices	
		E66.09 Other obesity due to excess calories E66.1 Drug-induced obesity E66.8 Other obesity	
		Notes	
		Code first: obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-)	
		Use additional code to identify: body mass index (BMI), if known (Z68.-)	
494.0	Bronchiectasis without acute exacerbation	J47.9	Bronchiectasis, uncomplicated
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
327.10	Organic hypersomnia, unspecified	G47.10	Hypersomnia, unspecified

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
515	Postinflammatory pulmonary fibrosis	J84.10 J84.89	Pulmonary fibrosis, unspecified Other specified interstitial pulmonary diseases
		Notes	
		<p>Code first, if applicable: poisoning due to drug or toxin (T51-T65 with fifth or sixth character to indicate intent), for toxic pneumonopathy underlying cause of pneumonopathy, if known</p> <p>Use additional code: for adverse effect, to identify drug (T36-T50 with fifth or sixth character 5), if drug-induced</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
278.01	Morbid obesity	E66.01	Morbid (severe) obesity due to excess calories
		Notes	
		<p>Code first: obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-)</p> <p>Use additional code to identify: body mass index (BMI), if known (Z68.-)</p>	
780.56	Sleep stage dysfunctions	G47.8	Other sleep disorders
780.53	Hypersomnia with sleep apnea, unspecified	G47.30	Sleep apnea, unspecified
		Notes	
		Code also any associated underlying condition	
333.94	Restless legs syndrome	G25.81	Restless legs syndrome
530.81	Esophageal reflux	K21.9	Gastro-esophageal reflux disease without esophagitis
793.19	Other nonspecific abnormal finding of lung field	R91.8	Other nonspecific abnormal finding of lung field
401.9	Hypertension NOS	I10	Essential (primary) hypertension
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
415.19	Other pulmonary embolism and infarction	I26.99	Other pulmonary embolism without acute cor pulmonale
		Additional Choices	
		I26.09 Other pulmonary embolism with acute cor pulmonale	
518.3	Pulmonary eosinophilia	J82	Pulmonary eosinophilia, not elsewhere classified
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
473.9	Chronic sinusitis, unspecified	J32.9	Chronic sinusitis, unspecified
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
785.6	Enlargement lymph nodes	R59.9	Enlarged lymph nodes, unspecified
		Additional Choices	
		R59.0 Localized enlarged lymph nodes R59.1 Generalized enlarged lymph nodes	
784.91	Postnasal drip	R09.82	Postnasal drip
493.20	Chronic obstructive asthma, unspecified	J44.9	Chronic obstructive pulmonary disease, unspecified
		Notes	
		<p>Code also type of asthma, if applicable (J45.-)</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
786.50	Chest pain, unspecified	R07.9	Chest pain, unspecified

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
327.27	Central sleep apnea in conditions classified elsewhere	G47.37	Central sleep apnea in conditions classified elsewhere
		Notes	
		Code also any associated underlying condition. Code first underlying condition.	
490	Bronchitis, not specified as acute or chronic	J40	Bronchitis, not specified as acute or chronic
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
135	Sarcoidosis	D86.9	Sarcoidosis, unspecified
		Additional Choices	
		D86.0 Sarcoidosis of lung D86.1 Sarcoidosis of lymph nodes D86.2 Sarcoidosis of lung with sarcoidosis of lymph nodes D86.3 Sarcoidosis of skin D86.81 Sarcoid meningitis D86.82 Multiple cranial nerve palsies in sarcoidosis D86.83 Sarcoid iridocyclitis D86.84 Sarcoid pyelonephritis D86.85 Sarcoid myocarditis D86.86 Sarcoid arthropathy D86.87 Sarcoid myositis D86.89 Sarcoidosis of other sites	
V44.0	Tracheostomy status	Z93.0	Tracheostomy status
786.30	Hemoptysis, unspecified	R04.2 R04.9	Hemoptysis Hemorrhage from respiratory passages, unspecified
786.05	Shortness of breath	R06.02	Shortness of breath
584.9	Acute kidney failure NOS	N17.9	Acute kidney failure, unspecified
		Notes	
		Code also associated underlying condition.	
347.00	Narcolepsy without cataplexy	G47.419	Narcolepsy without cataplexy
V46.11	Dependence on respirator, status	Z99.11	Dependence on respirator [ventilator] status

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
434.91	Unspecified cerebral artery occlusion with cerebral infarction	I63.50	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery
		Additional Choices	
		I63.511 Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery	
		I63.512 Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery	
		I63.519 Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery	
		I63.521 Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery	
		I63.522 Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery	
		I63.529 Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery	
		I63.531 Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery	
		I63.532 Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery	
		I63.539 Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery	
		I63.541 Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery	
		I63.542 Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery	
		I63.549 Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery	
		I63.59 Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery	
		I63.6 Cerebral infarction due to cerebral venous thrombosis, nonpyogenic	
		I63.8 Other cerebral infarction	
		I63.9 Cerebral infarction, unspecified	
		Notes	
		<p>Use additional code, if applicable, to identify: status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (Z92.82)</p> <p>Use additional code to identify presence of: alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0)</p>	
416.0	Primary pulmonary hypertension	I27.0	Primary pulmonary hypertension

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
493.92	Asthma, unspecified, with (acute) exacerbation	J45.901	Unspecified asthma with (acute) exacerbation
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
461.9	Acute sinusitis, unspecified	J01.90	Acute sinusitis, unspecified
		Notes	
		<p>Use additional code (B95-B97) to identify infectious agent.</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
793.11	Solitary pulmonary nodule	R91.1	Solitary pulmonary nodule
V72.82	Preoperative respiratory exam	Z01.811	Encounter for preprocedural respiratory examination
472.0	Chronic rhinitis	J31.0	Chronic rhinitis
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
300.00	Anxiety state, unspecified	F41.9	Anxiety disorder, unspecified
372.14	Other chronic allergic conjunctivitis	H10.45	Other chronic allergic conjunctivitis
		Additional Choices	
		<ul style="list-style-type: none"> H10.411 Chronic giant papillary conjunctivitis, right eye H10.412 Chronic giant papillary conjunctivitis, left eye H10.413 Chronic giant papillary conjunctivitis, bilateral H10.419 Chronic giant papillary conjunctivitis, unspecified eye 	
786.07	Wheezing	R06.2	Wheezing

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
311	Depressive disorder, not elsewhere classified	F32.9	Major depressive disorder, single episode, unspecified
786.6	Swelling, mass, or lump in chest	R22.2	Localized swelling, mass and lump, trunk
492.8	Other emphysema	J43.9	Emphysema, unspecified
		Additional Choices	
		J43.0 Unilateral pulmonary emphysema [MacLeod's syndrome] J43.1 Panlobular emphysema J43.2 Centrilobular emphysema J43.8 Other emphysema	
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
453.40	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity	I82.409	Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity
		Additional Choices	
		I82.401 Acute embolism and thrombosis of unspecified deep veins of right lower extremity I82.402 Acute embolism and thrombosis of unspecified deep veins of left lower extremity I82.403 Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral	
250.00	Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled	E11.9	Type 2 diabetes mellitus without complications
		Additional Choices	
		E13.9 Other specified diabetes mellitus without complications	
		Notes	
		Use additional code to identify any insulin use (Z79.4)	
427.31	Atrial fibrillation	I48.91	Unspecified atrial fibrillation
		Additional Choices	
		I48.0 Paroxysmal atrial fibrillation I48.1 Persistent atrial fibrillation I48.2 Chronic atrial fibrillation	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
414.00	Coronary atherosclerosis of unspecified type of vessel, native or graft	I25.10	Atherosclerotic heart disease of native coronary artery without angina pectoris
		Notes	
		<p>Use additional code to identify: chronic total occlusion of coronary artery (I25.82) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p> <p>Use additional code, if applicable, to identify: coronary atherosclerosis due to calcified coronary lesion (I25.84) coronary atherosclerosis due to lipid rich plaque (I25.83)</p>	
793.1 New 793.11	(Deleted in 2013) Solitary pulmonary nodule	R91.1	Solitary pulmonary nodule
New 793.19	Other nonspecific abnormal finding of lung field	R91.8	Other nonspecific abnormal finding of lung field
493.02	Extrinsic asthma with(acute) exacerbation	J45.21	Mild intermittent asthma with (acute) exacerbation
		Additional Choices	
		J45.31 Mild persistent asthma with (acute) exacerbation J45.41 Moderate persistent asthma with (acute) exacerbation J45.51 Severe persistent asthma with (acute) exacerbation	
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
493.91	Asthma, unspecified, with status asthmaticus	J45.902	Unspecified asthma with status asthmaticus
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
491.22	Obstructive chronic bronchitis with acute bronchitis	J44.0	Chronic obstructive pulmonary disease with acute lower respiratory infection
		<p>Notes</p> <p>Code also type of asthma, if applicable (J45.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) Use additional code to identify the infection</p>	
785.52	Septic shock	R65.21	Severe sepsis with septic shock
		<p>Notes</p> <p>Code first underlying infection, such as: infection following a procedure (T81.4) infections following infusion, transfusion and therapeutic injection (T80.2-) puerperal sepsis (O85) sepsis following complete or unspecified spontaneous abortion (O03.87) sepsis following ectopic and molar pregnancy (O08.82) sepsis following incomplete spontaneous abortion (O03.37) sepsis following (induced) termination of pregnancy (O04.87) sepsis NOS A41.9 Use additional code to identify specific acute organ dysfunction, such as: acute kidney failure (N17.-) acute respiratory failure (J96.0-) critical illness myopathy (G72.81) critical illness polyneuropathy (G62.81) disseminated intravascular coagulopathy [DIC] (D65) encephalopathy (metabolic) (septic) (G93.41) hepatic failure (K72.0-)</p>	
518.0	Pulmonary collapse	J98.11	Atelectasis J98.19 Other pulmonary collapse
		<p>Notes</p> <p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	
458.9	Hypotension, unspecified	I95.9	Hypotension, unspecified

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
327.51	Periodic limb movement	G47.61	Periodic limb movement disorder
507.0	Pneumonitis due to inhalation of food or vomitus	J69.0	Pneumonitis due to inhalation of food and vomit
		Notes	
		Code also any associated foreign body in respiratory tract (T17.-) Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	
995.92	Severe sepsis	R65.20	Severe sepsis without septic shock
		Notes	
		Code first underlying infection, such as: infection following a procedure (T81.4) infections following infusion, transfusion and therapeutic injection (T80.2-) puerperal sepsis (O85) sepsis following complete or unspecified spontaneous abortion (O03.87) sepsis following ectopic and molar pregnancy (O08.82) sepsis following incomplete spontaneous abortion (O03.37) sepsis following (induced) termination of pregnancy (O04.87) sepsis NOS A41.9 Use additional code to identify specific acute organ dysfunction, such as: acute kidney failure (N17.-) acute respiratory failure (J96.0-) critical illness myopathy (G72.81) critical illness polyneuropathy (G62.81) disseminated intravascular coagulopathy [DIC] (D65) encephalopathy (metabolic) (septic) (G93.41) hepatic failure (K72.0-)	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
995.91	Sepsis	A419	Sepsis, unspecified organism
Additional Choices			
<p>A02.1 Salmonella sepsis A22.7 Anthrax sepsis A26.7 Erysipelothrix sepsis A32.7 Listerial sepsis A40.0 Sepsis due to streptococcus, group A A40.1 Sepsis due to streptococcus, group B A40.3 Sepsis due to Streptococcus pneumoniae A40.8 Other streptococcal sepsis A40.9 Streptococcal sepsis, unspecified A41.01 Sepsis due to Methicillin susceptible Staphylococcus aureus A41.02 Sepsis due to Methicillin resistant Staphylococcus aureus A41.1 Sepsis due to other specified staphylococcus A41.2 Sepsis due to unspecified staphylococcus A41.3 Sepsis due to Hemophilus influenza A41.4 Sepsis due to anaerobes A41.50 Gram-negative sepsis, unspecified A41.51 Sepsis due to Escherichia coli [E. coli] A41.52 Sepsis due to Pseudomonas A41.53 Sepsis due to Serratia A41.59 Other Gram-negative sepsis A41.81 Sepsis due to Enterococcus A41.89 Other specified sepsis A42.7 Actinomycotic sepsis A54.86 Gonococcal sepsis B37.7 Candidal sepsis</p>			
Notes			
<p>Code first: postprocedural sepsis (T81.4) sepsis during labor (O75.3) sepsis following abortion, ectopic or molar pregnancy (O03-O07, O08.0) sepsis following immunization (T88.0) sepsis following infusion, transfusion or therapeutic injection (T80.2-)</p>			

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
512.8 New	(Deleted in 2013)		
512.81	Primary spontaneous pneumothorax	J93.11	Primary spontaneous pneumothorax
New 512.82	Secondary spontaneous pneumothorax	J93.12	Secondary spontaneous pneumothorax
		Notes	
		<p>Code first underlying condition, such as:</p> <ul style="list-style-type: none"> catamenial pneumothorax due to endometriosis (N80.8) cystic fibrosis (E84.-) eosinophilic pneumonia (J82) lymphangioleiomyomatosis (J84.81) malignant neoplasm of bronchus and lung (C34.-) Marfan's syndrome (Q87.4) pneumonia due to Pneumocystis carinii (B59) secondary malignant neoplasm of lung (C78.0-) spontaneous rupture of the esophagus (K22.3) 	
New 512.83	Chronic pneumothorax	J93.81	Chronic pneumothorax
New 512.84	Other air leak	J93.82	Other air leak
New 512.89	Other pneumothorax	J93.83	Other pneumothorax J93.9 Pneumothorax, unspecified
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
780.60	Fever NOS	R50.2	Drug induced fever R50.9 Fever, unspecified
		Notes	
		<p>Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p>	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
491.20	Obstructive chronic bronchitis without exacerbation	J44.9	Chronic obstructive pulmonary disease, unspecified
		Notes	
		<p>Code also type of asthma, if applicable (J45.-)</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
430	Subarachnoid hemorrhage	I60.9	Nontraumatic subarachnoid hemorrhage, unspecified
		Additional Choices	
		<p>I60.00 Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation</p> <p>I60.01 Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation</p> <p>I60.02 Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation</p> <p>I60.10 Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery</p> <p>I60.11 Nontraumatic subarachnoid hemorrhage from right middle cerebral artery</p> <p>I60.12 Nontraumatic subarachnoid hemorrhage from left middle cerebral artery</p> <p>I60.20 Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating artery</p> <p>I60.21 Nontraumatic subarachnoid hemorrhage from right anterior communicating artery</p> <p>I60.22 Nontraumatic subarachnoid hemorrhage from left anterior communicating artery</p> <p>I60.30 Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery</p> <p>I60.31 Nontraumatic subarachnoid hemorrhage from right posterior communicating artery</p> <p>I60.32 Nontraumatic subarachnoid hemorrhage from left posterior communicating artery</p> <p>I60.4 Nontraumatic subarachnoid hemorrhage from basilar artery</p> <p>I60.50 Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery</p> <p>I60.51 Nontraumatic subarachnoid hemorrhage from right vertebral artery</p> <p>I60.52 Nontraumatic subarachnoid hemorrhage from left vertebral artery</p> <p>I60.6 Nontraumatic subarachnoid hemorrhage from other intracranial arteries</p> <p>I60.7 Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery</p> <p>I60.8 Other nontraumatic subarachnoid hemorrhage</p>	

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
430 (cont.)	Subarachnoid hemorrhage	I60.9	Nontraumatic subarachnoid hemorrhage, unspecified
		Notes	
		<p>Use additional code to identify presence of:</p> <ul style="list-style-type: none"> alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0) 	
518.83	Chronic respiratory failure	J96.10	Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
		Additional Choices	
		<p>J96.11 Chronic respiratory failure with hypoxia J96.12 Chronic respiratory failure with hypercapnia</p>	
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
586	Renal failure, unspecified	N19	Unspecified kidney failure
518.5 New 518.51	(Deleted in 2013) Acute respiratory failure following trauma and surgery	J95.821	Acute postprocedural respiratory failure J96.00 Acute respiratory failure, unspecified whether with hypoxia or hypercapnia
New 518.52	Other pulmonary insufficiency, not elsewhere classified, following trauma and surgery	J95.1	Acute pulmonary insufficiency following thoracic surgery J95.2 Acute pulmonary insufficiency following nonthoracic surgery J95.3 Chronic pulmonary insufficiency following surgery
New 518.53	Acute and chronic respiratory failure following trauma and surgery	J95.822	Acute and chronic postprocedural respiratory failure J96.20 Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
327.21	Primary central sleep apnea	G47.31	Primary central sleep apnea
		Notes	
		Code also any associated underlying condition	

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
327.42	REM sleep behavior disorder	G47.52	REM sleep behavior disorder
478.75	Laryngeal spasm	J38.5	Laryngeal spasm
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
327.31	Circadian rhythm sleep disorder, delayed sleep phase type	G47.21	Circadian rhythm sleep disorder, delayed sleep phase type
511.81	Malignant pleural effusion	J91.0	Malignant pleural effusion
		Notes	
		<p>Code first underlying neoplasm</p> <p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
516.3 New 516.30	(Deleted in 2013) Idiopathic interstitial pneumonia, not otherwise specified	J84.111	Idiopathic interstitial pneumonia, not otherwise specified
New 516.31	Idiopathic pulmonary fibrosis	J84.112	Idiopathic pulmonary fibrosis
New 516.32	Idiopathic non-specific interstitial pneumonitis	J84.113	Idiopathic non-specific interstitial pneumonitis
New 516.33	Acute interstitial pneumonitis	J84.114	Acute interstitial pneumonitis
New 516.34	Respiratory bronchiolitis interstitial lung disease	J84.115	Respiratory bronchiolitis interstitial lung disease
New 516.35	Idiopathic lymphoid interstitial pneumonia	J842	Lymphoid interstitial pneumonia
New 516.36	Cryptogenic organizing pneumonia	J84.116	Cryptogenic organizing pneumonia

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
New 516.37	Desquamative interstitial pneumonia	J84.117	Desquamative interstitial pneumonia
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
491.1	Mucopurulent chronic bronchitis	J41.1	Mucopurulent chronic bronchitis
		Notes	
		<p>Use additional code to identify:</p> <ul style="list-style-type: none"> exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0) 	
432.9	Unspecified intracranial hemorrhage	I62.9	Nontraumatic intracranial hemorrhage, unspecified
		Notes	
		<p>Use additional code to identify presence of:</p> <ul style="list-style-type: none"> alcohol abuse and dependence (F10.-) exposure to environmental tobacco smoke (Z77.22) history of tobacco use (Z87.891) hypertension (I10-I15) occupational exposure to environmental tobacco smoke (F17.-) tobacco use (Z72.0) 	
278.02	Overweight	E66.3	Overweight
		Notes	
		<p>Code first obesity complicating pregnancy, childbirth and the puerperium, if applicable (O99.21-)</p> <p>Use additional code to identify body mass index (BMI), if known (Z68.-)</p>	
307.44	Persistent hypersomnia	F51.11 F51.12 F51.19	Primary hypersomnia Insufficient sleep syndrome Other hypersomnia not due to a substance or known physiological condition

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
585.6	End stage renal disease	N186	End stage renal disease
		Notes	
		<p>Code first any associated: diabetic chronic kidney disease (E08.22, E09.22, E10.22, E11.22, E13.22) hypertensive chronic kidney disease (I12.-, I13.-) Use additional code to identify kidney transplant status, if applicable, (Z94.0) Use additional code to identify dialysis status (Z99.2)</p>	
807.00	Closed fracture of rib(s), unspecified	S22.31X-	Fracture of one rib, right side S22.32X- Fracture of one rib, left side S22.39X- Fracture of one rib, unspecified side
		Notes	
		<p>A fracture not indicated as displaced or nondisplaced should be coded to displaced A fracture not indicated as open or closed should be coded to closed Code first any associated: injury of intrathoracic organ (S27.-) spinal cord injury (S24.0-, S24.1-) The appropriate 7th character is to be added to each code from category S22 A - initial encounter for closed fracture B - initial encounter for open fracture D - subsequent encounter for fracture with routine healing G - subsequent encounter for fracture with delayed healing K - subsequent encounter for fracture with nonunion S – sequela</p>	
578.9	Hemorrhage of gastrointestinal tract, unspecified	K92.2	Gastrointestinal hemorrhage, unspecified
599.0	Urinary tract infection, site not specified	N39.0	Urinary tract infection, site not specified
		Notes	
		Use additional code (B95-B97), to identify infectious agent	
519.8	Other diseases of respiratory system, not elsewhere classified	J98.8	Other specified respiratory disorders
		Additional Choices	
		J22 Unspecified acute lower respiratory infection	
		Notes	
		<p>Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)</p>	

ACCP Outpatient/Office List

ICD-9-CM	Descriptor	ICD-10-CM	Descriptor
493.10	Intrinsic asthma, unspecified	J45.20	Mild intermittent asthma, uncomplicated
		Additional Choices	
		J45.30 Mild persistent asthma, uncomplicated	
		J45.40 Moderate persistent asthma, uncomplicated	
		J45.50 Severe persistent asthma, uncomplicated	
		Notes	
		Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17.-) tobacco use (Z72.0)	